

Maintenance

- Caution!** Don't use water near the drive-units and controlboxes.
Warning! Switch OFF the power supply of the Circleslide during maintenance or other work.
- Weekly:** Vacuum clean the floorguide. Clean the anodised, stove enamelled and / or stainless steel surface with a wet cloth.
- Monthly:** Clean the anodised, stove enamelled and / or stainless steel surfaces with a wet cloth and a non aggressive soap. Vacuum clean all the brushes.
- Yearly:** The Circleslide needs a major maintenance check once a year. This has to be done by Boon Edam B.V. or your agent. This applies as well for repairs.

Dealer

For further information: consult the operating manual

Instructioncard

Circleslide

Control panel

Safety- and users instructions


Maintenance

Explanation of the symbols

- | | | | | |
|--|--|--|--------|---------------------------------------|
| | outside | | inside | |
| | Doorset movement | | | Doorset can be operated manually |
| | Doorset movement will be stopped | | | Use key to open both doorsets once |
| | Doorset will be opened | | | Doorset is locked |
| | Doorset will not be opened | | | Doorset is unlocked |
| | Valid for both doorsets | | | Function is adjusted |
| | Valid for one doorset | | | Able to leave the area |
| | Safety sensor is active | | | Emergency power system |
| | Motion detector is active | | | After 30 min. one programmable action |
| | Emergency button to stop both doorsets | | | No power supply |
| | Last-man pushbutton | | * | Option |




Check the emergency- and safety devices and the general function of the Circleslide daily




Controlpanel

Inside




Outside




- One-way Mode
- Winter Mode
- Automatic Mode
- Permanently Open Mode
- Night Mode (closed)
- Programming
- Value Up
- Value Down

A. Control one doorset


1 Permanently Open Mode




2 Automatic Mode




3 Winter Mode



4 One-way Mode




5 Night Mode (closed)




B. The Circleslide safety devices


1 Reversing- and stop mechanism




2 Clearance opening safety




3 Emergency power system




4 Emergency button



5 Emergency unlocking




6 Fire alarm




C. Last action after power failure


1 Sliding doors will open, lock unlocks



2 Sliding doors will close, lock locks




3 Sliding doors will close, lock unlocks




D. Operations

1 Key- impulse switch*



2 Last-man pushbutton



3 Interlocking*

